



UNITED SALES ASSOCIATES

Utility Products Catalog



www.accutest.net



www.capitalsafety.com



www.davidsontraffic.com



www.fsinorth.com



www.hawso.com



IMPACTO™
Protective Products Inc.
www.impacto.ca



www.jacksonsafety.com



JUSTRITE

www.justritemfg.com



www.lakeland.com



www.mapaglove.com



www.stardustabsorbent.com



www.wellslamontindustry.com

Presented by United Sales Associates, Manufacturers' Agents representing leading manufacturers of industrial safety products in the safety, industrial, construction, sanitary maintenance, and public safety markets in the states of Ohio, Michigan, West Virginia, Indiana, Kentucky, Tennessee, Pennsylvania, and New York.

Our products are sold through authorized distributors.



7537 State Road, Cincinnati, OH 45255-2438

Ph: 1-800-837-4266 * Fax: 513-231-1456

Web: www.unitedsales.com * e-mail: assocs@unitedsales.com

Branches: Cincinnati, Cleveland, Louisville, Indianapolis, Buffalo, Nashville, Grand Rapids



**Chemical Resistant
 Flame Retardant Suit**

Pyrolon® CRFR 2 mil. Sealed Seam

- Light disposable chemical splash protection.
- Meets or exceeds NFPA 701, 1989 and 1996.
- Self extinguishing.
- Won't melt or drip.
- Can be worn alone in environments where flash fire is not a concern, but must be worn over thermally protective garments where flash fire protection is needed.
- In addition to added barrier protection, Pyrolon® CR/FR can extend the life of thermally protective coveralls such as Nomex® by keeping them cleaner.



Style #51130



Class 3 Rainwear 2 pc Ensemble

- HydroGARD 300 D PU coated polyester outer shell provides a waterproof and breathable system.
- Seam sealed throughout with super bright silver retro-reflective tape.
- 2 outside front pockets with flap with snap closure, and 1 inside pocket.
- Under arm grommets provide ventilation for added breathability.
- Stow away hood with drawstring inside the collar with a hook-n-loop closure system
- Snap closure on sleeve cuff close the space around the hands
- 3012928 Shown
- Matching Class E pants available in both Lime and Hi-Vis Orange.



Nomex IIIA Coverall

Ideal for those who are exposed to the hazards of flash fires or explosions. Flame Resistant coveralls are designed for maximum comfort, protection and features.

- Coveralls with two patch breast pockets, left chest pocket has safety flap.
- Heavy duty snaps covered internally.
- Two hip pockets with a snap closure on the left hip pocket.
- Pleated bi-swing back with elasticized waistband.
- Utility pocket on right leg.
- Adjustable sleeve cuffs.
- Flared leg cuffs for ease of donning and doffing.
- Sewn throughout with Nomex® thread.
- Exact chest sizes in increments of 2" (38, 40, 42, etc. up to 60").



Style #CO11- 4.5 ounce Nomex® IIIA
 Style #CO12- 6.0 ounce Nomex® IIIA



**ANSI Class 1 & 2
 Performance T-Shirts**

- CoolDRY 100% polyester moisture management fabric wicks away excess moisture.
- Super Bright silver retro-reflective tape.
- High Visibility T-Shirts meet ANSI/ISEA 107-2004 Class 2 Requirements.



Disposable FR Garment

Pyrolon Plus 2® Pyrolon Plus 2® meets the stringent requirements of NFPA 701. It offers superior strength, wet or dry, over other traditional FR disposable garments. Pyrolon Plus 2® is breathable, making it a cool and comfortable garment to wear. When worker efficiency and comfort are important, Pyrolon Plus 2® garments are the critical choice.



Available in Navy Blue Part #7412



All Weather Class 3 Apparel

Available in Hi Vis Lime & Orange



Part # as shown
 3009712

Jacket

- Meets ANSI Class 3 standards.
- Class 3 Convertible Parka may be zipped inside the All Weather system for Additional warmth.
- Insulated patch pockets with flaps.
- Elastic cuffs with adjustable closure.
- Convenient snap-on hood.
- Zipper travels thru extended collar for full insulation.



Part # as shown
 3009734

Pants

- Meets ANSI/ISEA 107 Class E standards when worn with Class 2 or Class 3 top.
- Fleece inner lining
- Lower side zipper for coverage over boots.
- Belted waist and zipper fly.
- Side slit pockets, single rear pocket with flap and zipper.

Foot Protection



Open Side Flame Retardant Vest

ANSI/ISEA Class 2, Modacrylic, Meets ASTM 1506, hook and loop front closure, Adjustable hook and loop sides, silver reflective FR trim.

Sizes: Regular (M-2X)
Oversize (3X-5X)
Colors: Lime/Yellow or Orange



Part #V-8A-OS

Head and Neck Protection



Block Head Safety Hat



Available in: White, Yellow, Red, Blue, Orange, and Green

- Meets ANSI Z89.1+2003 standards.
- 8 pt. ratchet suspension for the ultimate degree of comfort and protection
- Full brim with increased thickness on the front and back brim provides protection from UV rays on ears and back of neck.
- Anti-glare Griptec™ coating for easy, non-slip grip.
- Coolmax® terrycloth sweatband for comfort and easy cleaning.
- Accommodates 4 pt. chin strap.
- Can be pad printed.

Ratchet Suspension Part #3014879
4 Pt. Chinstrap, Part #3000114



Safety Vests—Class 1, 2, and 3

Allsafe recognizes the value of high visibility apparel in work zone safety. Our vests are comfortable, are high quality, and have easy to understand ANSI approved classifications. All our Class 1, 2 and 3 Style Vests meet ANSI / ISEA 107-2004, the American Standards for High Visibility Apparel.



Several Styles Available




IMPACTO
Protective Products Inc.

Ergonomic Neck Support System

UpGuard 3000

Prevents Over Extension to Help Reduce Neck Pain, Fatigue and Injury for Workers that must **LOOK UP** for sustained periods!



FR Hard Hat Liners
FlashTex Winterliner



50/50 Nomex® and Proban® cotton full head and neckliner with wide wrap around collar with leather fastener.

650 NPR



695 NPR

STOP AND VISIT US!



STOP AND VISIT US!

Hearing Protection



Silencio Ear Muffs

Hearing Protection designed in styles that can dampen both intermittent or constant high frequency noise, while allowing lower frequency sounds through.



Part #3010462

- Phoenix NRR 25 over head, NRR 24 behind head, NRR 24 Under Chin.
- Ergonomic ear cups individually contoured to each ear for optimal fit.
- Multiple adjustment points.
- Rotating ear cups allow earmuff to rest on neck when not in use.

Also available: **Orion™** NRR21, Low profile, lightweight, folds up for easy storage, ultra soft ear cushions for added comfort. Part # 3010467



Disposable Ear Plugs



- NRR: 33
- Fun-colored SparkPlugs™ *
- Soft, low pressure foam for extra comfort

*SparkPlugs™ is a registered trademark of Moldex.

Uncorded: Part # 3005985
Corded: Part # 3001732

Eye Protection



Protective Goggles

- VisiClear™ anti-fog, anti-scratch, anti-static coating is standard on all lenses.
- Large eye Rx insert.
- Expanded visual field.
- Cross-Vent™ technology keeps air flowing in and moisture or chemical splashes out.
- Polycarbonate lens provides superior impact resistance, and 99% UV protection.

Revolution™
Change the way you look at your job.



- Does not melt, drip or ignite at 350° for 5 minutes.
- Meets ANSI Z87.1+ standards.
- Side vents to increase airflow.
- Fits naturally to contour of face blocking out contaminants.
- Available in IRUV 3.0 & 5.0 for cutting / grinding.


WILDCAT™



Protective Spectacles

- Sleek, sporty style, soft touch temples.
- Lightweight construction.
- Single lens wrap-around protection.
- Meets ANSI Z87.1 + and CSA Z94.3 standards.
- Standard pack of 12.
- Available in a variety of frame and lens colors

Nemesis



- Frameless, ultra-lightweight design ideal for extended wear.
- No-brow design increases upward and peripheral vision.
- Slip-stop temples to prevent slipping and sliding when hot.
- Compact profile accommodates small faces.
- Standard pack 12.

Nemesis VL



- Sleek, sporty style—soft touch temples.
- Lightweight, single lens wrap-around protection.
- Standard pack 12.

30-06 Dual Segment Readers



Black frame 1.5 top/1.5 bottom (Part #3013327)
 Black frame 2.0 top/2.0 bottom (Part #3013328)
 Black frame 2.5 top/ 2.56 bottom (Part #3012239)

Allsafe SMC has an extensive line of safety goggles and spectacles. Visit www.jacksonsafety.com to see different styles.

Fall Protection

Linesman Comfort Pole Climber

Comfort, safety and ease of use make these climbers the best choice for the serious lineman.

- Fully articulating non-metallic foot plate with puncture and slip resistant urethane sole meet or exceed standards for dielectric footwear.
- Neoprene impregnated boot and leg straps secure with tongue buckles for a comfortable and reliable fit.
- Impact resistant, reinforced Nylon 66 shaft has thick non-woven pad with top grain leather exterior that adjusts for any size lineman.



Part #5900260

Fall Protection (continued)



Utility Linesman's Body Belt

- Fully padded with 3D mesh foam allowing for increased air flow to keep worker cooler.
- Belt body and tool loops are made of leather and fastened together with stainless steel rivets.
- Lightweight, comfortable to wear.
- Full float design, allows for lateral movement of the belt while positioned, reducing wear on the pole strap.
- Two versions: standard and back support belt.
- D-Size from 20" to 29".



Part #1000660



Arc Flash Harness

Designed to Meet the Specific Needs of the Utility Industry

DBI Exofit XP Arc Flash Harnesses meet ASTM F887-04. Features a wrap around, no-tangle design that slips on like a vest, making it easier to put on while providing comfort, padding and security. Keeps you comfortable during long hours of work, increasing productivity.

Several Styles Available

Exofit XP Nomex / Kevlar Utility Harness Part #1110901



Delta II™ Harness with Comfort Back Pad

- The Delta™ Comfort Back Pad is a unique accessory that fits most harnesses on the market.
- Add to your harness to provide ultimate comfort and no-tangle donning.
- Innovative design provides added comfort throughout the shoulders, neck and back increasing productivity and improving safety.
- Fast and easy installation and removal with built-in Velcro fasteners - it's even washable.
- Built-in lanyard keepers on each shoulder keeps the lanyard up and away during non-use.
- Durable 600D nylon construction with soft Lycra™ back and medium density closed-cell foam.



Part #9501207



**Suspension Trauma Safety Strap
 Designed to prevent suspension trauma while a worker is awaiting rescue**

- Allows worker who is suspended to stand up in their harness to relieve pressure.
- A safety accessory that can be attached to most harness brands/styles right in the field.
- Installation to your harness is fast and efficient - just choke off to strap and it's ready.
- Extremely compact and lightweight design stays out of the worker's way.
- Deployment and operation is fool-proof, simply unzip, and hook straps together.
- Continuous loop design allows for either one or two-foot suspension relief without pinching.



Part #9501403

Fall Protection (continued)

Fall Protection (continued)



Boom Belt Anchor

- Friction buckle design makes attaching to boom quick and easy.
- 1-3/4" polyester strength member (5,000 lb. Min. tensile strength).
- Coated steel hardware for corrosion resistance and strength.
- Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z359.



Part #1001250



Rescumatic Automatic Descent Control Device

- Rescumatic® system safely lowers the endangered person(s) at a controlled rate of three feet per second.
- Automatically adjusts to user's body weight (300 lb. Capacity).
- Steel construction for durability, corrosion resistant.
- Easy to operate, no special tools, skills or power source is needed.
- Complete with two webbing support harnesses, Saflok® carabiner to anchor device, rope and spool (order by length - wire/nylon rope is 5/16" O.D. nylon braid jacket with 1/18" diameter wire core - last three digits in part number signify length).



Part #3300000



Rescue Davit System

Provides a Support Structure for Rescue Operations

A free-standing system, with no separate tools required to erect or operate it. The system separates into two main components :

- the four legged base assembly
- the arm/ winch assembly



Four leg design and pivoting arm allows victim to be rotated out away from opening and lowered to ground in secure location. Comes complete with rescue winch to lower or raise victim to safe location. Portable rescue davit design allows for transport and storage. Synthetic winch lifeline for protection against electrical conductivity and sparking.

Part #3101001



The Industry's Lightest and Most Compact 11 Foot SRL!

- Lightweight and compact aluminum housing construction weighing only 2.8 lbs.
- Best lifeline length-to-weight ratio in the industry.
- Unique super strength thin webbing for total security and added length in a compact SRL.
- Unique speed sensing brake reduces clearance requirements and limits fall arrest forces to 900 lbs. or less.
- Designed for smooth consistent operation.
- AJ565A snap hook on lifeline, AJ514A carabiner on housing.
- Two-year warranty, no re-certification necessary.
- Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z359.

Rebel®



Part #AD111A



Utility Lineman's Pole/Positioning Strap

The forged steel locking snap hook and friction buckle are stitched, then fastened by metal clip and stainless steel rivets to 8,000 lb. nylon strap webbing. The 1-3/4" webbing is sensitive to wear and shows a two-ply red core when frayed or worn and should be removed from service at that time, ensuring the integrity of the strap and the safety of the lineman using it. Available in 6', 6 1/2' feet and 7' lengths.




Part #1204030



Advanced Portable Fall-Arrest System Anchor Post

Specifically designed for use on top of transformers or other types of vertical platforms with potential to fall hazards. Compact and lightweight, only 38 lbs, makes the post very easy to transport and put into place. The system features 3 independent swivel anchor points that can rotate 360 degrees, offering freedom of mobility for up to 3 workers with SRL or fix length lanyard.



Part #8516691



UCL Advanced Hoist System

Five-Piece Hoist System: Designed for manhole and confined space entry/retrieval applications. Constructed of lightweight materials including high-strength aluminum. The davit pivots for ease of rescue and has a limited adjustment for overhead clearance. The lower base adjusts to fit most standard entries.

Equipped with: 12"-29" adjustable offset Mast, 33" Lightweight lower mast; and the three-piece lightweight base. Winch and SRL sold separately.



Part #851800



UCL Advanced Basic Hoist

Fluorescent Green Basic Hoist Package comes with folding basic base and basic davit arm with overload detection and winch bracket. Winch and SRL optional. This is an efficient and economical confined space entry/retrieval alternative to a tripod.



Part #8517069



Nitrile Coated Kevlar Lined Gloves

Kronit

Kevlar or Kevlar Dynema lining provides outstanding cut resistance and good resistance to heat. Available in fully coated knit wrist with Kevlar palm or gauntlet style which offers Kevlar with reinforced Dynema palm strip for added protection. The Nitrile outer dip offers protection against splashes of oils, greases or chemicals as well as abrasion and puncture resistance.



Style #386



Style #387



TriLites Triple Polymer Disposable Gloves

Unique tri-polymer blend of neoprene, nitrile and natural rubber provide comfort of latex exam gloves with added strength, tear resistance and chemical splash protection.



Style #994

- 6 mil., 10" ambidextrous. Sizes: S- X-Large
- Textured fingertips with lightly halogenated finish for optimum tactility and grip; wet or dry.
- Powder Free.
- Exclusive finish minimizes tape and label sticking to gloves.



Palm Dipped Gloves

MAPA' s Ultrane gloves are made from seamless knitted fabric with a polyurethane or foam nitrile coating on palms and fingers.

Several styles available



Ultrane Grip
Style #561 & 562

Ultrane Grip #561 & 562: Nitrile foam general purpose glove. Reinforced raised dot finish on palmside and fingers including knuckles on the 562), offer excellent anti-slip grip, abrasion resistance and smudge free parts handling. Polyamide liner is 280 denier stretch knit for elasticity, breathable comfort and durability.



General Purpose Jersey Knit Gloves

General Purpose. 100% Cotton Brown Jersey knit, medium weight, clute cut, form fitting. Available in men' s plain palm (Y7201L-A) and ladies' plain palm (Y7201W-A).



Part #Y7201



MechPro Grip Leather Gloves

Pigskin premium grain leather. Reinforced padded palm patch for grip and extra wear. Reinforced leather thumb, fingertips and knuckle strap. Hook and look closure. Sizes M, L, XL.



Part #7790



Economy Cowhide Gloves

Grain Cowhide. Economy choice, offers the best possible value that delivers quality and consistency. Gunn cut, straight thumb. Bound hem. Sizes S-XL.



Part #Y0133



All Leather Vibration Protection Glove

Full finger leather glove. Attached leather wrist support with hook and loop closure. Featuring individual air chambers Bubble Bladder in palm, fingers and thumb.



- Protects from vibration, impact and RSI.
- Durable leather for abrasion resistance.
- Thin, Lightweight.
- Helps prevent over extension and over flexion of the wrist.

BG750 Bubble Glove™

Knee Protection



Gel Knee Protector

- Textured Co-Polymer Cover easily slides on smooth surfaces, sewn to padding to keep debris out.
- Real Gel Padding helps disperse pressure away from the patella bone providing comfort that lasts throughout the work day.
- Non-Marring Cap does not scuff or mark delicate surfaces.
- Upper Elastic Strap for increases stability.
- Breathable Mesh Lower Strap to stay cool and comfortable.
- Adjustable Hook and Loop closure.
- Heavy Duty Binding assures long lasting wear.



Part #876-00



Contact your USA Representative for information on any item in this catalog.

Ph: 513-231-4266 * Fax: 513-231-1456
www.unitedsales.com * assocs@unitedsales.com

Visit our web site to see our Public Safety Catalog and Construction Products Catalog!

Traffic Safety



Roll-Up Signs and Stands



Allsafe Roll-up Signs are available in several options from KS Single Ply, KS Double Ply, VS Mesh, Reflective, fluorescent orange super bright, 3M Fluorescent diamond grade.

Allsafe Sign Kits / Stands come in many different configurations. Most meet NCHRP-350 and comply with MUTCH standards. All will fit our 36" and 48" signs.



Traffic Cones and Channelizers



Allsafe has a full range of traffic cones & channelizers which meet NCHRP-350 Category 1, Self certification. Custom Imprinting for cones available. Ask for details.



Type I & II Barricades



- Engineered to meet NCHRP 30 and MUTCD standards.
- Most substantial barricade on the market, often does not require ballasting.
- Solid one-piece construction.
- Recessed light brackets to protect the lights from impact.
- Recessed and replaceable sheeted panels provide flexibility and savings.
- Nesting and stacking design for easy storage 100% recyclable.
- Sign holder slips to hold many size signs.



The Utility Line Marker of Choice.

FG500 Posts



- FG500 posts are strong, flexible and durable.
- They are made of engineered polymer that will not rust, rot or splinter.
- All FG 500 posts and decals meet U.S. DOT specifications.
- Custom and standard decals are available.

Accessories

Accessories



Waste Containers for Cigarettes

- Innovative self-extinguishing design safely collects unsightly cigarette butts and reduces the risk of fire.
- Flame retardant polyethylene, won't rust, dent or crack.
- Easy to empty, simply unscrew back knob and lift lid to empty galvanized steel pail inside.



Available in several colors.



Oily Waste Cans

- Dispose of oil-soaked rags and protect facilities from fire that can start due to spontaneous combustion, sparks, careless use of smoking material.
- OSHA Complaint-essential when ever solvent cloths and wiping rags are used.
- Variety of sizes, red or yellow, or both when color identification is desired to help segregate materials.



Safety Cans

- Type 1 Safety Cans are fully complaint.
- Rounded comfort handle doesn't cut into hand.
- Self closing lid controls vapors and spills.
- Available in many sizes and gallonages.
- Easy to fill and easy to use, and the economical choice for flammables.



Flammable Storage Cabinets

Safety Cabinets offer safe, dependable flammable liquid storage and protection.

Protect workers, reduce fire risks, and improve productivity by storing hazardous liquids in code compliant safety cabinets. Designed to meet OSHA and NFPA standards, Justrite's cabinets are constructed of sturdy 18-gauge double wall, welded steel with 1.5" of insulating air space for fire resistance. High performance, self-latching doors close easily and securely for maximum protection under fire conditions. Fail-safe closing mechanism ensures three-point latching system works the first time, every time.



25452 25300



29450 29602



First Aid Kits

Available in 10, 25 and 50 person kits, in metal or poly box. All kits meet ANSI Standard Z308.1-2003.





**On Site Drug Testing:
Complete Collection and Testing System.
The Test Card is Built-In!**

- Accurate.
- Easy to use, self contained cup format.
- Easy to read results in 5 minute.
- Cup includes separate testing area, which ensures integrity of collected sample.
- Activate test by simply pushing a key. Test sample. automatically goes into separate test area, begins test
- Tests adhere to SAMHSA cutoffs.



Split Cup 10 tests for the following:
Amphetamine, Barbiturates, Benzodiazepines, Cocaine, Ecstasy (MDMA), Methadone, Methamphetamine, Opiates, PCP, THC

Split Cup 5 tests for the following:
Amphetamine, Cocaine, Opiates, Methamphetamine, THC
• Amphetamine, Cocaine, Opiates, PCP, THC



**Inflatable Decon Portable
Shower System**

- Heavy Duty Construction.
- Rapid Deployment.
- Multiple models/sizes.
- Decon pools fully integrated to showers. Simply set up, attach water source and commence decon immediately.
- No pool to roll out, no parts to assemble.
- Incredible stability even in high wind conditions to 70 mph plus when properly tied down.



Model Shown: DAT™ 3060S

3 line 3/4 stage mass casualty decon shower system. Can decon 3 to 6 ambulatory, 3 non-ambulatory, or any combination. Undress/detergent shower/rinse shower/redress configuration.



Rhino Tuff® Puncture Resistant Insoles

Stainless steel plate provides protection against puncture wounds to the feet caused by sharp objects such as nails, scrap metal, iron shards



Portable Eyewash

Model #7501 portable gravity operated eyewash features a 9-gallon capacity, FDA high-density green polyethylene tank that provides for a full 15 minutes of full pattern flushing at .4 GPM.



Heat Traced Shower / Eyewash

Freeze-resistant 120 VAC cable heated combination shower and eye/face wash features 10-5/8" ABS plastic showerhead and a twin ABS plastic Feather-Flo® eye/face wash. Thermostatically controlled electric heating cable protected by 3/4" insulation and an ABS plastic jacket prevents freezing down to ambient temperatures of -30°F. A pull rod activates shower. Push flag activates eye/face wash. Model includes hose body spray and freeze protection bleed valve, for added protection, that automatically opens to flush water during freezing conditions during power failures.

Certified by CSA to meet the ANSI Z358.1 Standard for Emergency Eyewash and Shower Equipment.



Model #8317CTFP



STAR DUST Super Absorbent

- Absorbs Spills of any type liquid or semi-liquid.
- Absorbs Spills on contact – works immediately.
- Leaves no history of there having been a spill providing a safe, dry, residue free work surface immediately.



**STAR POWER
Super Cleaner Degreaser**

- Water Based, Potent, Environmentally Friendly Formula.
- Universal Usage, Eliminating Need or Multiple Products.



I-Safe Intelligent Safety System

The revolutionary iSafe Intelligent Safety System maximizes the effectiveness and minimizes the total cost of your safety program through web-enabled intelligent technology. The system allows you to easily record and access information on inspections, inventory and purchase information. Track equipment assignments by worker or location. View or download equipment instructions, regulations and more!

Ask your representative for a demonstration today!



This Catalog is a representation of the many Utility Products offered by our manufacturers. Please contact your United Sales Associates Representative for additional information or any questions.

For more Information Call: 1-800-837-4266

United Sales Associates * 7537 State Road, Cincinnati, OH 45255-2438
Ph: 1-800-837-4266 * Fax: 513-231-1456 * Web: www.unitedsales.com * e-mail: assoc@unitedsales.com